



# TDA-S-5.8



## Application

Fastening of cladding panel to aluminium or steel profile

Component 1 (t <sub>1</sub> )	Component 2 (t <sub>II</sub> )	
Cladding panel	Aluminium	1.8–3.0
	Pre-drill Ø	4.5
Cladding panel	Steel	1.2–3.0
	Pre-drill Ø	4.5

## Fastener material

Austenitic stainless steel A2

## Approvals




## Features and Benefits

- Self tapping fastener suitable for installation of cladding panels onto pre-drilled aluminium or steel structure
- Increased reverse torque given by double-threaded thread
- Alignment of the fastener to the panel is always set straight given by double-threaded thread


## Documentation

Approval document (ETA) | Declaration of performance (DoP)



## Fastener in A2 onto aluminium and steel

Product code	PU	L	CL	Blank	Coloured
TDA-S-D16-5,8×29	250	29	6-20	1572881	1691521



## Accessories/Ancillaries

Product code	PU	L	Drive	Head drive	Pre-drill Ø panel	
T25W-25-HEX 1/4"	1	25	1/4"	T25W	—	7662
Bit holder ZA 1/4"		58		1/4"		1162306
DG-146×20-7,0		146	—	—	7-7.9	1320657
DG-146×20-8,0		146			8-8.9	1320658
DG-146×20-9,0		146			9-9.9	1320659
DG-146×20-10,0		146			10-10.9	1321704
HSS-DG-4,5×110		110			—	1573824