




SX3-4.8



Application

Fastening of cladding panel to aluminium or steel profile

Component 1 (t _I)		Component 2 (t _{II})		Σ _{max} t _I + t _{II}
Cladding panel	–	Aluminium	2.2–3.0	–
		Steel	1.5–2.5	
Steel	1.2–1.8	Steel	1.2–1.8	3.0
Steel	1.2–3.0	Steel	1.2–3.0	–
Pre-drill Ø	5.0			

Fastener material

Austenitic stainless steel A2, case hardened drill point

Approvals




Features and Benefits

- Self drilling fastener suitable for installation of pre-drilled cladding panels onto steel or aluminum structure
- No pre-drilling of the rail needed
- Secured against unwinding given by coned shape

Documentation

Approval document (ETA) | Declaration of performance (DoP)



Fastener in A2 onto aluminium and steel

Product code	PU	L	CL	Blank	Coloured
SX3/11-D10-4,8×25	250	25	0–11	–	1416351
SX3/11-D10-4,8×25	500			1193547	–



Accessories/Ancillaries

Product code	PU	L	Drive	Head drive	Pre-drill Ø Panel	
T20W-25-HEX 1/4"	1	25	1/4"	T20W	–	895280
Bit holder ZA 1/4"		58		1/4"		1162306
ZL-SLA-4,8/7,0		–	–	–	7.0	1090740